

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	219	browser and ((page or (single adj1 page) or webpage) near15 (code or (hidden adj1 (frame code script)) or script)) and ((gui ui interface) near15 (page or (single adj1 page) or webpage)) and ((render\$3 generat\$3 provid\$3 creat\$3 develop\$3) near10 (gui ui interface)) and (((no non "not" without) or ((no without) adj2 need\$3) or ("not" adj1 necessary)) near10 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:01
L3	219	browser and ((page or (single adj1 page) or ((zero adj1 footprint) near3 (page webpage document)) or webpage) near15 (code or (hidden adj1 (frame code script)) or script)) and ((gui ui interface) near15 (page or (single adj1 page) or ((zero adj1 footprint) near3 (page webpage document)) or webpage)) and ((render\$3 generat\$3 provid\$3 creat\$3 develop\$3) near10 (gui ui interface)) and (((no non "not" without) or ((no without) adj2 need\$3) or ("not" adj1 necessary)) near10 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:15
L4	19	3 and (((multiple or (number adj1 of) or plurality) near6 (window screen view pane \$1))) same ((electronic adj1 blackboard) or (single adj2 (interface screen)) or (dash adj1 board) or dashboard or ((web browser adj1 based) near4 (based adj3 (application page webpage interface gui ui)) or (control adj1 panel) or panel)))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:25
L5	200	3 not 4	US-PGPUB; USPAT	OR	ON	2008/07/18 09:26
L6	10916	((715/733,738,741-744,749,761,764,765,781,866) or (715/200,205,234)).CQLS.	US-PGPUB; USPAT	OR	OFF	2008/07/18 09:27
L7	0	dashboard and (browser near15 (gui ui interface)) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3) near12 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and (((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and (((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27

L8	0	dashboard and browser and (gui ui interface) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3) near12 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27
L9	0	dashboard and browser and (gui ui interface) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27
L10	0	((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27
L11	4	((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 creat\$3) near12 (page or (single adj1 page) or webpage)) and ((render\$3 generat\$3 creat\$3) near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27
L12	0	dashboard and (browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface)) and ((no non "not" without) near4 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or javascript or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27

L13	21	((browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface)) and ((no non "not" without) near4 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or javascript or applet)) and ((request\$3 retriev\$3 call) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27
L14	538	L6 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation or forecast or forecasted or forecasting or prognosticat\$3 or intuitive or intuitively or intuition or perceive or perceived or perceiving or perception) near15 data)	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27
L15	1178	L6 and (browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27
L16	140	L15 and ((page or (single adj1 page) or webpage) near15 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near15 (page or (single adj1 page) or webpage)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (gui ui interface)) and (((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)) or (dash adj1 board) or dashboard)	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27
L17	8	L16 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation or forecast or forecasted or forecasting or prognosticat\$3 or intuitive or intuitively or intuition or perceive or perceived or perceiving or perception) near10 data) and (server near10 data)	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27
L18	16	L14 and ((page or (single adj1 page) or webpage) near15 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near15 (page or (single adj1 page) or webpage)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (gui ui interface)) and (((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)) or (dash adj1 board) or dashboard)	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27
L19	0	L18 and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27
L20	11	L14 and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2008/07/18 09:27

L21	19	5 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation or forecast or forecasted or forecasting or prognosticat\$3 or intuitive or intuitively or intuition or perceive or perceived or perceiving or perception) near10 data) and (server near10 data)	US- PGPUB; USPAT	OR	ON	2008/07/18 10:05
L22	14	5 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation) near10 data) and (server near10 data)	US- PGPUB; USPAT	OR	ON	2008/07/18 10:48
L23	2	((("6873984") or ("6654784"))).PN.	US- PGPUB; USPAT	OR	OFF	2008/07/18 12:47
L24	0	23 and asynchronous\$2	US- PGPUB; USPAT	OR	ON	2008/07/18 12:47
L25	112	6 and (asynchronous\$2 near4 (request\$3 call))	US- PGPUB; USPAT	OR	ON	2008/07/18 15:04
L26	5	16 and (asynchronous\$2 near4 (request\$3 call))	US- PGPUB; USPAT	OR	ON	2008/07/18 15:04
L27	0	16 and ((asynchronous\$2 near4 (request\$3 call)) same (continuu\$3 near4 interact\$3))	US- PGPUB; USPAT	OR	ON	2008/07/18 15:21
L28	0	6 and ((asynchronous\$2 near4 (request\$3 call)) same (continuu\$3 near4 interact\$3))	US- PGPUB; USPAT	OR	ON	2008/07/18 15:21
L29	5	6 and ((asynchronous\$2 near4 (request\$3 call)) and (continuu\$3 near4 interact\$3))	US- PGPUB; USPAT	OR	ON	2008/07/18 15:21
L30	0	dashboard and ((ui gui interface) near20 (((single one unified integrated) adj1 (page screen)) near10 ((no "not" non without) near4 chang\$3)))	US- PGPUB; USPAT	OR	ON	2008/07/18 16:14
L31	86	dashboard and ((ui gui interface) near10 ((no "not" non without) near4 chang\$3))	US- PGPUB; USPAT	OR	ON	2008/07/18 16:17
L32	322	(dashboard or (dash adj1 board) or ((electronic digital) adj1 (blackboard cockpit)) or cockpit) and ((ui gui interface window screen pane panel (single adj1 page) page dashboard cockpit) near10 ((no "not" non without) near4 chang\$3))	US- PGPUB; USPAT	OR	ON	2008/07/18 16:50
L33	11	6 and 32	US- PGPUB; USPAT	OR	ON	2008/07/18 16:51
L34	3	((dashboard near20 ((multiple plurality) near4 (screen view window region pane panel))) and ((dashboard (single adj1 (page interface)) interface) near15 ((no "not" non without) near4 chang\$3))	US- PGPUB; USPAT	OR	ON	2008/07/18 17:21

L37	6	((dashboard or (dash adj1 board) or ((electronic digital) adj1 (dashboard blackboard cockpit)) or cockpit) near15 ((multiple plurality) near4 (screen view window region pane panel))) and ((dashboard cockpit (dash adj1 board) or ((electronic digital) adj1 (dashboard blackboard cockpit)) or (single adj1 (page interface)) interface page) near10 ((no "not" non without) near4 (chang\$3 alter\$3 modif\$4)))	US-PGPUB; USPAT	OR	ON	2008/07/18 17:36
L39	6	((dashboard or (dash adj1 board) or ((electronic digital) adj1 (dashboard blackboard cockpit)) or cockpit) near15 ((multiple plurality) near4 (screen view window region (display adj1 field) pane panel frame))) and ((dashboard cockpit (dash adj1 board) or ((electronic digital) adj1 (dashboard blackboard cockpit)) or (single adj1 (page interface)) interface page) near10 ((no "not" non without) near4 (chang\$3 alter\$3 modif\$4)))	US-PGPUB; USPAT	OR	ON	2008/07/18 17:53
L40	64	((dashboard or (dash adj1 board) or (instrument adj2 panel) or ((electronic digital instrument control) adj1 (dashboard blackboard cockpit panel)) or cockpit) near15 ((multiple plurality) near4 (screen view window region (display adj1 field) pane panel frame))) and ((dashboard cockpit (dash adj1 board) or ((electronic digital instrument control) adj1 (dashboard blackboard cockpit panel)) or (single adj1 (page interface)) interface page) near10 ((no "not" non without) near4 (chang\$3 alter\$3 modif\$4)))	US-PGPUB; USPAT	OR	ON	2008/07/18 17:55
L41	95	((dashboard or (dash adj1 board) or (instrument adj2 panel) or ((electronic digital instrument control) adj1 (dashboard blackboard cockpit panel)) or cockpit) near15 ((multiple plurality) near4 (screen view window region (display adj1 field) pane panel frame))) and ((dashboard cockpit (dash adj1 board) or ((electronic digital instrument control) adj1 (dashboard blackboard cockpit panel)) or (single adj1 (page interface)) interface page) near10 (((no "not" non without) near4 (chang\$3 alter\$3 modif\$4)) constant))	US-PGPUB; USPAT	OR	ON	2008/07/18 18:03
SI	10916	((715/733,738,741-744,749,761,764,765,781,866) or (715/200,205,234)).CQLS.	US-PGPUB; USPAT	OR	OFF	2008/07/17 21:26

S2	0	dashboard and (browser near15 (gui ui interface)) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3) near12 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US- PGPUB; USPAT	OR	ON	2008/07/17 21:41
S3	0	dashboard and browser and (gui ui interface) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3) near12 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US- PGPUB; USPAT	OR	ON	2008/07/17 21:42
S4	0	dashboard and browser and (gui ui interface) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US- PGPUB; USPAT	OR	ON	2008/07/17 21:42
S5	0	((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US- PGPUB; USPAT	OR	ON	2008/07/17 21:43

S6	4	((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 creat\$3) near12 (page or (single adj1 page) or webpage) and ((render\$3 generat\$3 creat\$3) near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US- PGPUB; USPAT	OR	ON	2008/07/17 21:44
S7	0	dashboard and (browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface)) and ((no non "not" without) near4 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or javascript or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1))	US- PGPUB; USPAT	OR	ON	2008/07/17 22:10
S8	21	((browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface)) and ((no non "not" without) near4 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or javascript or applet)) and ((request\$3 retriev\$3 call) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1))	US- PGPUB; USPAT	OR	ON	2008/07/17 22:17
S9	538	S1 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation or forecast or forecasted or forecasting or prognosticat\$3 or intuitive or intuitively or intuition or perceive or perceived or perceiving or perception) near15 data)	US- PGPUB; USPAT	OR	ON	2008/07/17 22:22
S10	1178	S1 and (browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface))	US- PGPUB; USPAT	OR	ON	2008/07/17 22:23
S11	140	S10 and ((page or (single adj1 page) or webpage) near15 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near15 (page or (single adj1 page) or webpage) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (gui ui interface)) and ((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)) or (dash adj1 board) or dashboard)	US- PGPUB; USPAT	OR	ON	2008/07/17 22:28

S12	8	S11 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation or forecast or forecasted or forecasting or prognosticat\$3 or intuitive or intuitively or intuition or perceive or perceived or perceiving or perception) near10 data) and (server near10 data)	US-PGPUB; USPAT	OR	ON	2008/07/17 22:29
S13	16	S9 and ((page or (single adj1 page) or webpage) near15 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near15 (page or (single adj1 page) or webpage)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (gui ui interface)) and (((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)) or (dash adj1 board) or dashboard)	US-PGPUB; USPAT	OR	ON	2008/07/17 22:48
S14	0	S13 and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2008/07/17 22:49
S15	11	S9 and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2008/07/17 22:50

7/18/2008 7:12:13 PM

C:\Documents and Settings\xbautista\My Documents\EAST\Workspaces\10783891sec.wsp